

# SC4220

## Acrylic Polyurethane Clear High Gloss Topcoat

### DESCRIPTION & USES

Acrylic Polyurethane two component NON-YELLOWING clear high gloss topcoat. This 'water white' product has excellent non-yellowing characteristics making it ideal for application on light timbers/woods, man-made veneers and for use in over-coating metallics/pearls. Furthermore this product provides protection to the substrate from colour change due to UV light exposure with UV inhibitors added in the manufacturing process. SC4220 has brilliant gloss and provides good surface hardness, good moisture resistancy, very good smoothness to the touch and good covering power.

#### Recommended Application:

For use over sealer SL4340 & SL4360. Furniture, joinery, shop-fitting, wardrobe and kitchen and vanity doors/benchtops, commercial interiors. And over SM4006-Metallics.

### DRY FILM PROPERTIES

Colour:	Clear
Gloss:	High gloss

### WET PROPERTIES

Solid content:	44% (approx)
Viscosity in drum:	20-25 seconds Ford Cup 4 @ 20°C (approx)
Shelf life:	12 Months in sealed containers

### APPLICATION

Method:	Spraying conventional
Mixing Ratio:	2 parts SC4220 to 1 part TH0790/00 hardener
Thinning:	THIN4444 or THIN4000 at 20%-30% of part A (Depending on the type of equipment used) In hot conditions NT573 can be added
Drying:	Dry for stacking: 40 hours at 20°C
Pot Life:	3-4 hours
Application weight:	120 - 140 g/m <sup>2</sup>

### NOTES

Buffing/polishing after 24 hours drying time @ 20°C  
Additional UV Prohibitor XT170 (PU) can be added before application for extra protection to the substrate from discoloration caused by UV/Sunlight. For details & further information please contact us.

**FOR INDUSTRIAL USE ONLY** Data shown are mean values and cannot be construed as product specifications. Users are advised to make their own tests to determine the suitability of products for their own purposes.

#### AUSTRALIAN DISTRIBUTORS FOR SHERWIN WILLIAMS

WA:	TWENTY TWO SERVICES P/L	Tel (08) 9206 0220
NSW:	CROMA COATINGS	Tel (02) 9533 9122
VIC:	CROMA COATINGS VICTORIA	Tel (03) 9768 2312
QLD:	CROMA COATINGS QUEENSLAND	Tel (07) 3386 1000

Email [info@22croma.com.au](mailto:info@22croma.com.au)  
Web [www.22croma.com.au](http://www.22croma.com.au)